





Test Report

Report No: HAPER2103050103 Page 1 of 5

Optoelectronics Technology Co., Ltd **Applicant** Jiangsu Dierite

Address NO. 1 Heshucunheshu Lijia Town, Wujin District, Changzhou City

Sample Information

Sample Name Optical cable

Material information

(Z)	NO.	1/1/	Material Name		
1/0	01-1	.()	Optical cable: LSZH		
	01-2		Optical cable: Aramid		

^{*}The information above is provided and confirmed by the applicant.

Sample Received Date

Mar.31,2021

Testing Period

Mar.31,2021 to Apr.07,2021

Testing Requested

As per client's request, to determine the RoHS 2.0 (Pb,Cd,Hg,Cr⁶⁺, PBBs, PBDEs,DBP,

BBP,DEHP,DIBP) in the submitted sample 01-1,01-2 according to RoHS Directive

(EU)2015/863 Annex II.

Testing Results

Please refer to next page(s)

Remark

Based on the test samples 01-1,01-2, the test results of Cadmium(Cd), Lead(Pb), Mercury(Hg), Hexavalent Chromium (Cr⁶⁺), The sum of Polybrominated Biphenyls(PBBs) and The sum of Polybrominated Diphenyl Ethers(PBDEs) ,Dibutyl Phthalate (DBP) ,Benzylbutyl Phthalate (BBP) ,Bis-(2-ethylhexyl) Phthalate (DEHP) ,Diisobutyl phthalate (DIBP) comply with

the limits as set by RoHS Directive (EU)2015/863 Annex II.

Signer:

Authorized signatory

Date:

Apr.07,2021

Website of verification report: CNCA verification platform yz.cnca.cn







171020340088

Test Report

Report No: HAPER2103050103 Page 2 of 5

Determination of RoHS 2.0 (unit: mg/kg)

Testing method

- (1) With reference to IEC 62321-5:2013. By ICP OES for measuring;
- (2) With reference to IEC 62321-4: 2013+Amd1: 2017. By ICP-OES for measuring;
- (3) With reference to IEC 62321-7-2-2017. By UV-VIS for measuring;
- (4) With reference to IEC 62321-6:2015. By GC-MS for measuring;
- (5) With reference to IEC 62321-8:2017 .By GC-MS for measuring.

120 02021 0	.=017 .25 00	7 1110 101 11100	<i>-</i>	
Method	MDL	Limit	Results	
			01-1	01-2
(1)	2	1000	ND	ND
(1)	2	100	ND	ND
(2)	2	1000	ND	ND
(3)	8	1000	ND	ND
(4)	_	1000	ND	ND
	_	1000	ND	ND
(5)	50	1000	ND	ND
	50	1000	ND	ND
	50	1000	ND	ND
	50	1000	ND	ND
	Method (1) (2) (3) (4)	Method MDL (1) 2 (2) 2 (3) 8 (4) — (5) 50 50	Method MDL Limit (1) 2 1000 2 100 (2) 2 1000 (3) 8 1000 (4) — 1000 (4) — 1000 50 1000 50 1000	Method MDL Limit 01-1 (1) 2 1000 ND (2) 2 1000 ND (3) 8 1000 ND (4) — 1000 ND — 1000 ND 50 1000 ND

Note:

- (1) 1 mg/kg=1 ppm=0.0001%
- (2) MDL=Method Detection Limit
- (3) ND=Not Detected (<MDL)
- (4) "—" =Not Regulated
- (5) Polybrominated Biphenyls, Polybrominated Diphenyl Ethers list, and detection limit (MDL)

Polybrominated Biphenyls (PBBs)	MDL	Polybrominated Diphenyl Ethers (PBDEs)	MDL
Bromobiphenyl	5	Bromobiphenyl ether	5
Dibromobiphenyl	5	Dibromobiphenyl ether	5
Tribromobiphenyl	5	Tribromobiphenyl ether	5
Tetrabromobiphenyl	5	Tetrabromodiphenyl ether	5
Pentabromobiphenyl	5	Pentabromodiphenyl ether	5
Hexabromobiphenyl	5	Hexabromodiphenyl ether	5
Heptabromobiphenyl	5	Heptabromodiphenyl ether	5
Octabromobiphenyl	5	Octabromobiphenyl ether	5
Nonabromobiphenyl	5	Nonabromobiphenyl ether	5
Marabromodiphenyl	5	Marabromobiphenyl ether	5

(6) 01-1 test wire skin, 01-2 test core

EL THAT WAY TO



Annex

Report No: HAPER2103050103





中国认可 国际互认 检测 **TESTING CNAS L6760**


171020340088

Test Report

Page 3 of 5

RoHS Testing Flow Chart

The sample was dissolved totally according to the following procedure (except for Hexavalent Chromium (Cr⁶⁺),The sum of Polybrominated Biphenyls(PBBs) and The sum of Polybrominated Diphenyl Ethers(PBDEs) tests).



江苏环谱检测技术服务有限公司

JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198号

Adderss: NO.198 Wuzhou East Road, economic and technological development zone, Yang Zhou E-mail: hap@hap-test.com **6**: 400-6600-776 **1**: 0514-89711561 URL: www.hap-test.com










Test Report


Report No: HAPER2103050103 Page 4 of 5

Phthalate Testing Flow Chart:



Sample photo:





End of report

江苏环谱检测技术服务有限公司 JIANGSU HAP TESTING SERVICE CO.,LTD

地址: 扬州市经济技术开发区吴州东路 198号

Adderss:NO.198 Wuzhou East Road, economic and technological development zone, Yang Zhou URL: www.hap-test.com E-mail: hap@hap-test.com

6: 400-6600-776 **1**: 0514-89711561









171020340088

Test Report

Page 5 of 5

注 意 事 项

Notice Items

1、本报告无批准人签字、报告专用章及骑缝章无效。

This report shall be invalid without the signature of the approver, the special seal for the report and the cross-page seal.

2、本报告不得擅自修改、增加或删除。

Report No: HAPER2103050103

This report shall not be modified, added or deleted without authorization.

3、报告结果只对本次受检样品负责。若对检测结果有异议,请在报告签发日期后十五天内书面提出,逾期不予 受理。

The results of the report are only responsible for the samples tested this time. If there is any objection to the test result, please submit it in writing within fifteen days after the date of issuance of the report. Overdue will not be accepted.

4、未经环谱检测书面同意,不得部分复制本报告,亦不可作为宣传品使用。

Without the written consent of HAP, this report shall not be partially copied or used as publicity materials.

5、当需要结果符合性评价时,若客户无要求,一般不考虑结果的测量不确定度的影响。

When the result conformity evaluation is required, if the customer does not require it, the influence of the measureme nt uncertainty of the result is generally not considered.

6、相关项目(△)未取得资质认定时,检测数据仅限科研、教学、内部质量控制或研发等活动使用。

When the relevant Items (\triangle) has not been qualified, the test data is limited to scientific research, teaching, internal qua lity control or research and development activities.

7、本公司出具纸质正版报告与电子数字签名版具备相同效力, 当两者内容有差异时以电子数字签名版为准。 The company's paper genuine report has the same legal effect as the electronic digital signature version. When the contents are different, subject to electronic digital signature version.

(具体通用条款详见 http://www.hap-test.com/company/tytk) (For specific general terms, please see http://www.hap-test.com/company/tytk)

